

# **LEAFLET**



# **EP1310**

EC-METER EC1210 AND PH-METER PH1210











## **EC1210**

#### <u>General</u>

The digital EC-meter with plug-in sensor for measuring directly in soil (measuring can also be direct in water) is robust, elegant of design, accurate and easy to use. The temperature is automatically compensated for and the EC1210 also has an automatic calibration and data storage allowing simplicity and accuracy is ensured.

The instrument is supplied in a handy carrying case with a calibration fluid and precise instructions.



#### **Applications**

This instrument can be used in the Agri- and horticultural field, laboratory, quality control etc.

#### **Technical specifications**

Manufacturer : Nieuwkoop Aalsmeer Measuring range EC : 0-1999uS, 20/200mS

Measuring range °C : -5.0 / 60°C Ref. temp. : 20 of 25°C

Memory capacity : 80 measurements Work temp./RH : 0-60 °C/ 20-95%

Accuracy : 0,1 mS/cm Resolution EC : 0,01 mS/cm

Electrode : Stainless steel + Pt1000 120 cm cable

Power supply : 1 x battery 9V Measuring hours : ± 250 hours

Size/weight : 115x70x25mm/ 200 gr

Accessories : Carrying case, calibration liquid and a user manual

Warranty : 1 year (instrument)



# **PH1210**

The digital pH-meter with plug-in sensor for measuring directly in soil (measuring can also be direct in water) is robust, elegant of design, accurate and easy to use.

The PH1210 also has an automatic calibration and data storage allowing simplicity and accuracy is ensured.

The instrument is supplied in a handy carrying case with a calibration fluid and precise instructions.



## **Applications**

This instrument can be used in the Agri- and horticultural field, laboratory, quality control, etc.

# **Technical specifications**

Manufacturer : Nieuwkoop Aalsmeer

Measuring range : 0-12 pH

Measuring range °C: -10.0 / 110.0°C

Memory capacity : 80 measurements Work temp./RH : 0-60 °C / 20-95%

Accuracy : 0,1 pH Resolution pH : 0,01 pH

Electrode : Epoxy gel, 100cm cable with BNC

Power supply : 1 x battery 9V Measuring hours : ± 250 hours

Size/weight : 115x70x25mm/ 250 gr.

Accessories : Carrying case, calibration liquids (pH-4, pH-6.86), Storage Liquid and an

user manual

Warranty : 1 year (instrument)

Option : temperature sensor, art.no. TP5710



TO MEASURE TO KNOW

0297 325836 info@nieuwkoopbv.nl www.meten.nl

