



NIEUWKOOP

LEAFLET



GV1000 – GV1020

TENSIOMETER 30 & 60CM



TO MEASURE  TO KNOW



General

A soil moisture tester of simple design? Yes – such a tester exists! And it's a novelty in this field too. And it's really a tester of simple design. Now you need no longer extract the tester from the soil, just make sure it is properly inserted and all you have to do is read the soil moisture content.

Reading the meter is very simple too; the scale graduation is made in three colors to indicate dry, moist or wet, so that you can see at a glance what condition your soil is in. This simple reading makes for fast and efficient working in the horticultural and agricultural business.

Particularly when you place several testers in various spots you will be able to readily know where and how much watering is required.

We refer to our user-manual for a correct and useful use of the analogue tensiometer GV1000 or GV1020.

Technical specifications

Model	: GV 1000 (30cm) or GV1020 (60cm)
Brand	: Nieuwkoop – Aalsmeer – Holland
Range	: -350...0hPa/ 1,0...2,5pF
Read-out	: Analogue
Work temperature	: 1...80°C
Tensio tube lengths	: 30cm (GV1000) or 60cm (GV1020)
Weight	: 275 gram (ex. accessories)
Accessories	: Plastic moist protection cap, syringe 60cc and a user manual
Warranty	: 1 year

Tensiometers are also available with an electronic output 4-20mA and as digital portable units, ask your supplier or Nieuwkoop for more information.



TO MEASURE  TO KNOW

Nieuwkoop BV

Aalsmeerderweg 249 -S

1432 CM AALSMEER

0297 325836

info@nieuwkoopbv.nl

www.meten.nl



NIEUWKOOP