METEN.NL



NIEUWKOOP

LEAFLET



RG7100

DESKTOP INTERFACE USB CRADLE





The RG7100 uses interface drivers that are built into all currently supported Windows OS versions, so there is no longer any need to install proprietary drivers.

The RG7100 is compatible with all standard datalogger recording products having 3 silver contact pins in the lower rear case. It uses the proven and reliable spring contact arrangement taken from the RG7100/USB.

The RG7100 incorporates a micro USB socket for connection to a computer.

Two indicators at the top (red & green), identify what actions the interface is currently performing:

• When a Logger is inserted, the green indicator turns off, the red indicator turns on and remains on while Logger and software exchange information, (E.g. during data download or configuring the Logger). When the data exchange is complete, the green indicator flashes to show that the recorder can now be removed, or further data exchange can be initiated (E.g. starting the configuration process after an automatic download).

• When the Logger is removed, the green indicator turns on again and signals that the interface is ready to receive the next Logger

Features

- Downloads loggers from -20°C to +60°C.
- Two indicators at the top (red & green), identify what actions the interface is currently performing.
- No longer any need to install proprietary drivers.
- Incorporates a micro USB socket for connection to a computer.



Specifications

| Product Model | RG7100 |
|-----------------------------|---|
| Operating Temperature Range | -20°C to +60°C |
| Storage Temperature Range | -40°C to +70°C |
| USB Standard | 2.0 |
| Environmental | IP50 (Rated for indoor use only) |
| Software Compatibility | LTA 2.9r2, LTA 3.0r8, LTX 1.1r1 LogTag Online |
| Indicators | Green 'Activity' LED. Red 'Busy/Error' LED |
| Power Source | Powered from computer |
| Size | 45mm(h) x 85mm(W) x 71mm(D), excluding cable |
| Weight | 74g, excluding cable |
| Case Material | Polycarbonate, ABS |
| Connection | USB Micro |
| Certifications | FCC, CE & RoHS Compliant |
| Accessories | 1.0m USB Cable |





Nieuwkoop BV

Aalsmeerderweg 249 - S 1432 CM AALSMEER 0297 325836 info@nieuwkoopbv.nl www.meten.nl

