

## **LEAFLET**



## **EP1400**

TEMPERATURE COMPENSATED EC/pH/°C METER WITH AUTOMATIC CALIBRATION











This EC/pH/°C-meter has standard features like; automatic temperature compensation, automatic calibration and is supplied complete in a rugged carrying case including accessories for water- and soil samples.



## **Technical specifications:**

Manufacturer : Nieuwkoop BV Aalsmeer Holland

Housing/operation : ABS/ press button

Range pH/ EC/ Temp. : 0-14,00pH/ 0-19,99mS/ 0-65,0°C Resolution :  $\pm 0,01$ pH/  $\pm 0,01$ mS/  $\pm 0,1$  °C

Display : 0,01 digit LCD

Temperature comp. : Automatic for EC and pH.

Calibration : Automatic with recognition of calibration liquids
Electrode pH : Combined/epoxy, 100 cm cable with BNC connector

Electrode EC : Epoxy with Pt-1000 temperature element

Power supply : 1 x battery 9V 6F22

Consumption : ± 300 hrs

Size/weight : 320 x 290 x 120mm/ 2 kg

Accessories : Carrying case, sample cup, syringe, cleaning bottle, distilled-

water, calibration liquids (pH-4, pH-6.86 and EC), storage liquid

and a user manual.

Warranty : 1 year (not on pH-electrode)



TO MEASURE TO KNOW

0297 325836 info@nieuwkoopbv.nl www.meten.nl

